AUTHORISED DEALER & SOLUTIONS PARTNER

TE BROCHURE & PRODUCT CATALOGUE 2026

A Complete Guide to Enterprise Biometric Attendance, Touchless Face Recognition Terminals, Electromagnetic Door Access Control, and Automated Cloud Payroll Integration.



Tingirikar Teja

FOUNDER & PRINCIPAL BIOMETRIC ENGINEER

“At Meenakshi Technologies, our mission is simple: provide 100% genuine biometric hardware, flawless door access engineering, and unmatched on-site support across Hyderabad. Every installation is calibrated to Indian workplace environments with guaranteed same-day SLA.”

GENUINE OEM HARDWARE

- eSSL Security Direct Stock
- BioMax AI Face Series
- High-Tensile 600 lbs EM Locks
- Factory Seal & Serial Tracking

4-HOUR ONSITE SLA

- Same-day site deployment
- 4-Hour emergency breakdown
- Clean cabling & glass fittings
- 1-Year Comprehensive Warranty

PAYROLL INTEGRATION

- eTimeTrackLite / BioMax Pro
- 1-Click Excel / CSV Export
- Tally ERP 9 / Tally Prime Sync
- Free Lifetime Software Setup

DUAL VERIFIED HYDERABAD LOCATIONS

1. Gowlipura Central (HQ):
Near Gandhi Statue, 18-7-751, Outside Gowlipura, Hyderabad 500053 | GPS: 17.3459° N, 78.4798° E

2. Balapur Business Branch:
Balapur Main Road, Near DRDL / Kanchanbagh Sector, Balapur, Hyderabad 500005 | GPS: 17.3095° N, 78.5152° E

DIRECT ENGINEERING HELPLINE

Call / WhatsApp: +91 6301593064 | Email: meenakshitechnologies65@gmail.com | www.meenakshitechnologies.org

Serving: HITEC City • Madhapur • Gachibowli • Bachupally • Boduppal • Kothapet • LB Nagar • Secunderabad

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com

Company Profile & Service Infrastructure

Meenakshi Technologies is Hyderabad's premier biometric time attendance, door access control engineering, and workforce management technology provider. We engineer turnkey security solutions combining authentic hardware with local on-site support.

Our Dual Verified Office Locations in Hyderabad

1. Gowlipura Central HQ

CENTRAL ADMINISTRATIVE & DISPATCH DESK

Address: Near Gandhi Statue, 18-7-751, Outside Gowlipura, Hyderabad, Telangana 500053.

Key Focus Areas: HITEC City, Madhapur, Gachibowli, Begumpet, Secunderabad, Dilsukhnagar, Charminar.

Coordinates: Lat 17.3459799, Lng 78.479843
Helpline: +91 6301593064
Google Maps: maps.google.com/?q=17.3459799,78.479843

2. Balapur Business Branch

FIELD ENGINEERING & STOCK DEPOT

Address: Balapur Main Road, Near DRDL / Kanchanbagh Sector, Balapur, Hyderabad, Telangana 500005.

Key Focus Areas: LB Nagar, Kothapet, Vanasthalipuram, Kanchanbagh, Chandrayangutta, Shamshabad, Adibatla.

Coordinates: Lat 17.309578, Lng 78.5152011
Helpline: +91 6301593064
Google Maps: maps.google.com/?q=17.309578,78.5152011

Turnkey Engineering & Integration Services

Biometric Attendance Systems

Fingerprint, RFID card, and PIN attendance machines with push data sync and auto shifts.

AI Touchless Face Terminals

Deep-learning live face detection algorithms effective with masks, spectacles, and low light.

Door Access Control Kits

600 lbs electromagnetic locks, electric drop bolts, push-to-exit buttons, and emergency switches.

Multi-Door Controllers

eSSL InBio multi-door control panels with Wiegand / OSDP slave readers and TCP/IP networking.

Automated Payroll Sync

Direct payroll software integration with Tally ERP 9, Tally Prime, Keka, Spine, and Microsoft Excel.

Annual Maintenance (AMC)

Preventive maintenance, backup battery health checks, database backups, and emergency repairs.

OUR 5-POINT QUALITY ASSURANCE

- 100% Brand-New, Sealed eSSL & BioMax Hardware with Serial Number Verification
- 1-Year Comprehensive Onsite Hardware Replacement Warranty
- Concealed & Aesthetic Cable Dressing (zero exposed or messy wires)
- Complimentary Lifetime Attendance Software Training & Remote AnyDesk Support

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com

Trusted by Leading Businesses Across Hyderabad

Meenakshi Technologies is the trusted biometric solutions partner for hospitals, IT parks, fitness centers, creative studios, and commercial enterprises. Here are genuine client brand deployments across Telangana.

Shubhakara Hospitals

Ø=ÜÍ Bachupally, Hyderabad

Healthcare & Multispecialty Hospital

DEPLOYED SOLUTION & ENGINEERING:

eSSL K90 Fingerprint Time Attendance + Shift Management

' Verified Client Deployment

Mindspace IT Park Enterprises

Ø=Ü Madhapur, HITEC City

Corporate IT & Software Development Hub

DEPLOYED SOLUTION & ENGINEERING:

eSSL K30 Pro + Glass Door EM Lock Access Control

' Verified Client Deployment

Art Design & Architecture

Ø=Ü Gachibowli, Hyderabad

Creative Architecture & Design Studio

DEPLOYED SOLUTION & ENGINEERING:

eSSL X900 + F12 Biometric Slave Reader Access

' Verified Client Deployment

Develop Tress Software LLP

Ø=Ü Madhapur, Hyderabad

Enterprise IT Services & Cloud Engineering

DEPLOYED SOLUTION & ENGINEERING:

eSSL F22 Slim Wi-Fi Biometric Terminal + Push Exit

' Verified Client Deployment

AYKI Tech Solutions

Ø=ÜÍ Boduppal, Hyderabad

Technology Solutions & Engineering Facility

DEPLOYED SOLUTION & ENGINEERING:

eSSL K30 Pro Biometric Attendance & Payroll Sync

' Verified Client Deployment

The Fit Nation

Ø=ÜÍ Kothapet, Hyderabad

Premium Gym & Fitness Chain

DEPLOYED SOLUTION & ENGINEERING:

Biometric Access Control + Turnstile Integration

' Verified Client Deployment

Fitness & More Gym

Ø=ÜÍ Gachibowli, Hyderabad

Health, Wellness & Member Access Facility

DEPLOYED SOLUTION & ENGINEERING:

eSSL Biometric Terminal + Frameless Glass EM Lock

' Verified Client Deployment

Zinnia Digital Services LLP

Ø=Ü Hyderabad Central Sector

Digital Marketing & Corporate BPO Center

DEPLOYED SOLUTION & ENGINEERING:


eSSL X900 Biometric Attendance + Tally Integration

' Verified Client Deployment

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com

What Our Clients Say About Us

Real feedback from real business owners and facility managers in Hyderabad. Every review represents a verified on-site installation completed with precision by Meenakshi Technologies.



& & & & & 5.0 / 5.0 Star Rating


Commercial Office Administrator

Ø=ÜÍ Madhapur, Hyderabad

Hardware: eSSL Biometric Attendance Terminal + Shift Software

“Prompt delivery and professional onsite installation of eSSL biometric attendance machine. Highly satisfied with the software configuration and support. Tingirikar Teja personally ensured our complex three-shift timing was configured accurately.”

' 100% Verified Customer Review



& & & & & 5.0 / 5.0 Star Rating


IT Facility & Operations Manager

Ø=ÜÍ HITEC City, Hyderabad

Hardware: 600 lbs Heavy Duty EM Lock + Push to Exit Switch

“Excellent door access control setup with electromagnetic locks for our office glass doors. Clean cabling and polite technician. The fail-safe lock releases smoothly and the hydraulic door closer prevents glass banging completely.”

' 100% Verified Customer Review



& & & & & 5.0 / 5.0 Star Rating

Accounts & HR Lead, Enterprise Firm

Ø=ÜÍ Kothapet, Hyderabad

Hardware: BioMax SpeedFace AI Face Recognition + Tally Integration

“Tingirikar Teja and his team provided genuine Biomax facial recognition hardware. Payroll export works seamlessly with our Tally software. Attendance reports generate in seconds without manual paper registers.”

' 100% Verified Customer Review

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com

eSSL K90 Pro

ESSL • FINGERPRINT BIOMETRIC DEVICES

Standalone Fingerprint Time Attendance Terminal with Built-in Battery Backup



TECHNICAL SPECIFICATIONS

Display	2.8-inch TFT Color Display
Sensor	High Precision Optical 500 DPI Sensor
Communication	TCP/IP, USB Host, USB Client
Power Supply	12V DC 1.5A with Built-in Battery Backup
Verification Speed	< 1 second

KEY FEATURES

- Built-in battery backup providing continuous operation during power cuts
- High-speed 500 DPI optical sensor with scratch-resistant glass
- TCP/IP network push technology for centralized office data sync

SYSTEM CAPACITY

- **Fingerprints:** 1,000 templates
- **Cards:** 1,000 RFID cards
- **Transactions:** 100,000 logs

Applications:
Offices and Corporate Branches (10 to 200 staff) • Retail Showrooms, Boutiques and Outlets

eSSL K30 Pro

ESSL • FINGERPRINT BIOMETRIC DEVICES

Standalone Fingerprint Time Attendance with Built-in Battery Backup



TECHNICAL SPECIFICATIONS

Display	2.8-inch TFT Color Screen
Sensor	Optical 500 DPI Fingerprint Sensor
Communication	TCP/IP, USB Host
Power Supply	12V DC 1.5A with Built-in Battery Backup (up to 4 hours)
Verification Speed	< 1 second

KEY FEATURES

- Built-in battery backup ensures zero downtime during power cuts
- High-speed optical fingerprint sensor with scratch-resistant surface
- TCP/IP network connectivity for automated attendance push data

SYSTEM CAPACITY

- **Fingerprints:** 1,000 templates
- **Cards:** 1,000 RFID cards
- **Transactions:** 100,000 logs

Applications:
Small to Medium Offices (10 to 200 employees) • Retail Showrooms & Commercial Outlets

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com

eSSL SilkBio-100TC

ESSL • FACE + FINGERPRINT DEVICES

Advanced Multi-Biometric Time Attendance & Access Control with SilkID



TECHNICAL SPECIFICATIONS

Display	2.8-inch Color Touch Screen with intuitive UI
Sensor	SilkID Revolutionary Fingerprint Sensor + Dual Infrared Cameras
Communication	TCP/IP, USB Host, Wi-Fi (Optional)
Access Control Interface	3rd Party Electric Lock, Door Sensor, Exit Button
Power Supply	12V DC 3A

KEY FEATURES

- SilkID sensor reliably reads dry, wet, rough and aged fingertips
- Dual IR cameras enable fast facial recognition even in low-light environments
- Live finger detection prevents fake rubber or silicone fingerprint spoofing

SYSTEM CAPACITY

- **Faces:** 800 face templates
- **Fingerprints:** 1,500 SilkID templates
- **Cards:** 2,000 RFID cards
- **Transactions:** 100,000 logs

Applications:
Corporate Head Offices & IT Parks • Pharmaceutical Cleanrooms & R&D Labs

eSSL uFace 202

ESSL • FACE RECOGNITION MACHINES

High-Capacity Multi-Biometric Time Attendance & Access Terminal



TECHNICAL SPECIFICATIONS

Display	4.3-inch Touch Screen with icon-driven menu
Camera	High-Definition Infrared Dual Camera
Communication	TCP/IP, USB Host, Optional Wi-Fi / 4G
Battery	Built-in 2000 mAh backup battery providing ~4 hours operation
Access Control	Relay for Door Lock, Door Sensor, Alarm, Exit Switch

KEY FEATURES

- Large 4.3-inch touchscreen for effortless user enrollment and navigation
- High-speed face recognition without requiring user to stop completely
- Integrated door access control interface supporting EM locks & drop bolts

SYSTEM CAPACITY

- **Faces:** 1,200 face templates (optional up to 3,000)
- **Fingerprints:** 2,000 fingerprints
- **Cards:** 10,000 RFID cards
- **Transactions:** 100,000 logs

Applications:
Large Manufacturing Plants & Factories • Pharma Quality Assurance & Production Lines

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com

eSSL F22

ESSL • DOOR ACCESS CONTROLLERS

Ultra-Thin Fingerprint Time Attendance & Access Control with Wi-Fi



SYSTEM CAPACITY

- **Fingerprints:** 3,000 templates
- **Cards:** 5,000 RFID / Mifare cards
- **Transactions:** 30,000 logs

TECHNICAL SPECIFICATIONS

Display	2.4-inch TFT LCD Color Screen with Touch Keypad
Sensor	BioID Sensor with Anti-Interference Technology
Communication	Wi-Fi, TCP/IP, RS485, USB Host
Access Interface	Electric lock, Door sensor, Exit button, Alarm, Doorbell
Wiegand Signal	Input & Output for external slave reader integration

KEY FEATURES

- Ultra-thin aesthetic design with sleek touch keypad suitable for glass doors
- Built-in Wi-Fi eliminates tedious Ethernet cabling across interior partitions
- BioID sensor guarantees outstanding recognition rate on dry/moist fingers

Applications:
Executive Cabins & Boardrooms • Server Rooms & Critical Data Centers

eSSL Identix K21

ESSL • FINGERPRINT BIOMETRIC DEVICES

Economical Fingerprint Time Attendance Terminal for Startups & Small Offices



SYSTEM CAPACITY

- **Fingerprints:** 500 templates
- **Cards:** 500 RFID cards
- **Transactions:** 50,000 logs

TECHNICAL SPECIFICATIONS

Display	2.8-inch Color Display
Communication	TCP/IP, USB Host
Sensor	500 DPI Optical Fingerprint Sensor
Power Supply	5V DC 1A
Verification Time	< 1 second

KEY FEATURES

- Budget-friendly entry price for businesses upgrading from manual registers
- Plug-and-play installation with fast 3-step employee enrollment
- Supports daily attendance, overtime, late arrival and early departure tracking

Applications:
Micro & Small Enterprises (5 to 50 employees) • Boutiques, Retail Stores & Supermarkets

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com

Biomax SpeedFace 5

BIOMAX • FACE RECOGNITION MACHINES

AI-Powered Visible Light Facial Recognition & Access Control Terminal



TECHNICAL SPECIFICATIONS

Display	5-inch IPS Touch LCD Screen
Camera	2MP Dual-Lens CMOS Camera with WDR & Live Anti-Spoofing
Recognition Distance	0.3m to 2.5 meters
Recognition Speed	< 0.3 second (Walk-through)
Communication	TCP/IP, Wi-Fi, Wiegand In/Out, RS485

KEY FEATURES

- Visible light facial recognition reads moving persons from up to 2.5m away
- Anti-spoofing algorithm blocks photos, videos, and 3D silicone mask fraud
- Mask detection & reminder capability for sterile or regulated areas

SYSTEM CAPACITY

- **Faces:** 6,000 face templates (Deep Learning AI)
- **Fingerprints:** 6,000 fingerprints
- **Cards:** 10,000 RFID cards
- **Transactions:** 200,000 logs

Applications:

Pharma Formulation Units in Jeedimetla, Bollaram & Genome Valley • Heavy Engineering & Automotive Assembly Lines

Biomax N-BM60

BIOMAX • FACE + FINGERPRINT DEVICES

Compact Multi-Biometric Attendance Terminal with Built-in Cloud Connectivity



TECHNICAL SPECIFICATIONS

Display	2.8-inch TFT Color Display
Communication	Wi-Fi, TCP/IP, USB Drive
Dual Camera	Infrared Night Vision + RGB Camera
Power Supply	12V DC 1.5A
Operating Temp	-10°C to 50°C

KEY FEATURES

- Built-in Wi-Fi enables cable-free connection to office router
- Dual IR cameras guarantee accurate face capture in dark or backlight conditions
- Cloud push protocol for remote branch tracking from Hyderabad central office

SYSTEM CAPACITY

- **Faces:** 1,000 face templates
- **Fingerprints:** 2,000 fingerprints
- **Cards:** 2,000 RFID cards
- **Transactions:** 100,000 logs

Applications:

Multi-Branch Retail Showrooms across Hyderabad & Telangana • Gyms and Fitness Studios with shift trainers

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com

Biomax Bio-Finger 100

BIOMAX • FINGERPRINT BIOMETRIC DEVICES

Commercial High-Capacity Fingerprint & Card Attendance System



TECHNICAL SPECIFICATIONS

Display	3.0-inch Color TFT Display with multilingual audio
Sensor	Scratch-proof 500 DPI Optical Sensor
Communication	TCP/IP, USB Host, USB Device
Power Supply	12V DC 1.5A with internal power-saving mode
Dimension	180 x 135 x 42 mm

KEY FEATURES

- High storage capacity suitable for medium-to-large shift operations
- Robust hardware built for Indian manufacturing ambient conditions
- Instant data sync to centralized database via local area network

SYSTEM CAPACITY

- **Fingerprints:** 5,000 fingerprint templates
- **Cards:** 5,000 RFID cards
- **Transactions:** 150,000 logs

Applications:

Industrial Plants in Balanagar, Kattedan & Cherlapally • Construction Company Regional Site Offices

eSSL InBio 260 Multi-Door Controller

ESSL • DOOR ACCESS CONTROLLERS

Industrial 2-Door Biometric & RFID Networked Access Control Panel



TECHNICAL SPECIFICATIONS

Communication	TCP/IP and RS-485
Reader Interface	4 x RS-485 Readers (eSSL FR1200) + 4 x Wiegand 26/34 Readers
Input Ports	6 (2 Exit Buttons, 2 Door Sensors, 2 Auxiliary Inputs)
Output Ports	4 (2 Form-C Relays for SPDT Locks, 2 Aux Relays)
Cpu	32-bit 400MHz high-speed processor

KEY FEATURES

- Centralized controller panel mounted inside secure IT server room rack
- Anti-passback, multi-card unlock, first-card unlock and interlock door logic
- RS-485 reader loop protects against door tampering on public exterior wall

SYSTEM CAPACITY

- **Fingerprints:** 3,000 templates
- **Cards:** 30,000 RFID cards
- **Transactions:** 100,000 event records
- **Doors:** 2 doors (In/Out 4 readers)

Applications:

Pharmaceutical Manufacturing Plants with 2-door Interlocking Airlocks • Multi-story Corporate Headquarters

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com

Heavy Duty 600 lbs Electromagnetic Lock (EM Lock)

ESSL / SECURETECH • ELECTROMAGNETIC LOCKS

Fail-Safe Magnetic Lock for Single Wooden, Glass & Metal Doors



TECHNICAL SPECIFICATIONS

Lock Size	250L x 48.5W x 25H mm
Armature Plate	180L x 38W x 11H mm
Surface Temp	Low temperature design (< 20°C rise)
Bracket Options	ZL Bracket, U Bracket for Frameless Glass Doors
Status Output	LED status indicator (Red/Green) and NO/NC relay feedback

KEY FEATURES

- Anti-residual magnetism design prevents door sticking upon release
- Anodized aluminum housing offers high corrosion and wear resistance
- Fail-safe operation automatically releases door during fire alarms or power failure

SYSTEM CAPACITY

- **HoldingForce:** 280 kg (600 lbs) linear holding force
- **Voltage:** 12V DC or 24V DC (auto-switchable)
- **CurrentDraw:** 12V/500mA or 24V/250mA

Applications:
Office Entrance Glass Doors • Server Room Wooden Doors

Heavy-Duty Electric Drop Bolt Lock

ESSL / SECURETECH • ELECTROMAGNETIC LOCKS

Concealed Motorized Drop Bolt Lock with Time Delay for Glass Doors



TECHNICAL SPECIFICATIONS

Bolt Diameter	16 mm solid stainless steel throw
Current Draw	Start: 900mA, Standby: 100mA
Dimensions	205 x 35 x 40 mm
Fail Safe Mode	Fail Safe (Power to lock, unlocks upon power loss)
Door Suitability	Double-swing 180° glass doors and wooden frames

KEY FEATURES

- Solid stainless steel bolt provides maximum pry-resistance against forced entry
- Adjustable 0/3/6/9 second relock delay prevents lock chatter when door swings
- Magnetic induction sensor automatically engages bolt only when door is aligned

SYSTEM CAPACITY

- **HoldingForce:** 1000 kg tensile strength
- **OperatingVoltage:** 12V DC ±10%
- **AutoLockDelay:** 0, 3, 6, 9 seconds selectable timer

Applications:
Modern Glass Facade Entrances • Corporate Boardrooms & Meeting Spaces

Call / WhatsApp: +91 6301593064
meenakshitechnologies65@gmail.com



RFID Proximity Cards & Mifare Smart Cards

RFID SMART CARDS, MIFARE TAGS & KEYFOBS

High-grade contact-less proximity cards and 13.56 MHz Mifare smart cards compatible with all eSSL, BioMax, and third-party RFID readers. Custom company branding printing available for corporate employee IDs.

Key Specifications:

- Operating Frequency: 125 kHz (EM Proximity) / 13.56 MHz (Mifare 1K)
- Read Distance: 3 to 10 cm fast response | Material: Durable Glossy White PVC
- Applications: Employee ID Cards, Gym Member Cards, Hotel Keycards, Access Control Tags

Complete Door Access Control Engineering Blueprint

Every Meenakshi Technologies access control setup follows a strict 3-zone security blueprint ensuring 100% fail-safe life-safety compliance.

ZONE 1: OUTSIDE SECURE

Biometric Terminal

- eSSL Face / Fingerprint Machine
- Outdoor / Indoor Wall Mounting
- Optical Anti-Scratch Sensor
- Audio-visual punch confirmation
- Tamper alarm switch protection
- Wiegand / TCP/IP data push

ZONE 2: DOOR THRESHOLD

600 lbs EM Lock & Brackets

- 280 kg / 600 lbs Holding Force
- U-Bracket for Frameless Glass
- ZL-Bracket for In-Swing Wooden
- Hydraulic Tension Door Closer
- Built-in MOV Surge Protection
- Dual Color Lock Status LED

ZONE 3: INSIDE & POWER HUB

Exit Switch & Central SMPS

- Stainless Steel Push-to-Exit
- Emergency Break-Glass Cutoff
- 12V 5A Regulated Power SMPS
- 12V 7Ah Standby Battery Backup
- Fail-Safe NC Relay Interlock
- Fire Alarm Emergency Release

' LIFE-SAFETY COMPLIANCE: In case of building power cut or fire emergency, our fail-safe magnetic locks automatically release to ensure unhindered evacuation.

BOOK YOUR FREE ON-SITE SURVEY & DEMO

[illegible]rade Your Workplace Security?

Our certified biometric engineers will inspect your entrance doors, recommend the ideal eSSL or BioMax machine, demonstrate real software payroll sync, and provide a transparent formal quotation.

STEP 1
Call / WhatsApp

Share your employee count, door type (glass/wooden), and attendance/ access requirements.

STEP 2
Free Site Survey

Engineer visits your Hyderabad location, measures door clearance, and provides live device demo.

STEP 3
Same-Day Install

Professional wall mounting, EM lock installation, clean cabling dressing, and payroll training.

Annual Maintenance Contract (AMC) & Support Packages

Ensure zero downtime for your attendance and access infrastructure with our preventative AMC plans:

- Quarterly Physical Audit: Optical sensor recalibration, EM lock holding test, and battery impedance testing.
- Database & Payroll Backup: Automated cloud & local backup of attendance logs to prevent data loss.
- Unlimited Remote Support: Instant resolution of employee shift changes or software reinstallations via AnyDesk.
- Priority 4-Hour Emergency Breakdown SLA across all Hyderabad and Telangana commercial corridors.

OFFICIAL CONTACT & VERIFIED OFFICE ADDRESSES

Hyderabad Central Office (HQ)
Meenakshi Technologies
Near Charminar / Santosh Nagar Ring Road,
Hyderabad, Telangana 500053.
GPS: 17.3459° N, 78.4798° E

Balapur Business Branch
Meenakshi Technologies
Balapur Main Road, Near DRDL / Kanchanbagh,
Hyderabad, Telangana 500005.
GPS: 17.3095° N, 78.5152° E

Direct Helpline: +91 6301593064 | Email: meenakshitechnologies65@gmail.com | Web: www.meenakshitechnologies.org

Tingirikar Teja
Founder & Managing Director, Meenakshi Technologies
Hyderabad, Telangana • Serving Indian Workplaces with Pride and Integrity.